



Chapter -1 Chemical Reaction and Equations

Physical and chemical changes

Chemical change – one or more new substances with new physical and chemical properties are formed.



Here, when copper sulphate reacts with iron, two new substances, i.e., ferrous sulphate and copper are formed.



© Byjus.com

Physical change – change in colour or state occurs but no new substance is formed.

Example: Water changes to steam on boiling but no new substance is formed (Even though steam and water look different when they are made to react with a piece of Na, they react the same way and give the exact same products). This involves only a change in state (liquid to vapour).

Observations that help determine a chemical reaction

A chemical reaction can be determined with the help of any of the following observations:


- a) Evolution of a gas
- b) Change in temperature
- c) Formation of a precipitate
- d) Change in colour
- e) Change of state

Chemical reaction

Chemical reactions are chemical changes in which reactants transform into products and new substances are formed with new properties.

Chemical equation: A chemical equation is a symbolic representation of a chemical reaction where the reactants and the products are shown by their symbols or formulas.

For example:



Word equation

A word equation is a chemical reaction expressed in words rather than chemical formulas. It helps identify the reactants and products in a chemical reaction.

For example,

Types of chemical reactions


Taking into consideration different factors, chemical reactions are grouped into multiple categories.

Few examples are:


- Combination
- Decomposition
- Single Displacement
- Double displacement
- Redox
- Endothermic
- Exothermic
- Precipitation

Combination reaction


In a combination reaction, two elements or one element and one compound or two compounds combine to give one single product.



element + element \rightarrow compound



compound + element \rightarrow compound




compound + compound \rightarrow compound

Decomposition reaction

A single reactant decomposes on the application of heat or light or electricity to give two or more products.

Types of decomposition reactions:


- a. Decomposition reactions which require heat – thermolytic decomposition or thermolysis.



Thermal decomposition of HgO

© Byjus.com

Thermal decomposition of HgO
b. Decomposition reactions which require light – photolytic decomposition or photolysis.



Photolytic decomposition of H_2O_2

© Byjus.com

Photolytic decomposition of H_2O_2



c. Decomposition reactions which require electricity – electrolytic decomposition or electrolysis.

Electrolytic decomposition of H_2O

.

Displacement reaction

More reactive element displaces a less reactive element from its compound or solution.




Double displacement reaction

An exchange of ions between the reactants takes place to give new products.

For example, $Al_2(SO_4)_3(aq) + 3Ca(OH)_2(aq) \rightarrow 2Al(OH)_3(aq) + 3CaSO_4(s)$

Precipitation reaction

An insoluble compound called precipitate forms when two solutions containing soluble salts are combined.



Precipitation reaction

For example, $Pb(NO_3)_2(aq) + 2KI(aq) \rightarrow 2KNO_3(aq) + PbI_2(\downarrow)(s)(yellow)$

Redox reaction

Oxidation and reduction take place simultaneously.

Oxidation: Substance loses electrons or gains oxygen or loses hydrogen.


Reduction: Substance gains electrons or loses oxygen or gains

hydrogen.

Oxidising agent – a substance that oxidises another substance and self-gets reduced.


Reducing agent – a substance that reduces another substance and self-gets oxidised.

Examples:



$\text{Fe} \rightarrow \text{Fe}^{+2} + 2e^-$ (oxidation) ; Fe - reducing agent.

$\text{Cu}^{+2} + 2e^- \rightarrow \text{Cu}(s)$ (reduction) ; Cu - oxidising agent.



ZnO reduces to Zn → reduction

C oxidises to CO → oxidation

ZnO - Oxidising agent

C - Reducing agent

Endothermic and exothermic reaction

Exothermic reaction – heat is evolved during a reaction. Most of the combination reactions are exothermic.



To know more about Exothermic Reaction,

Endothermic – Heat is required to carry out the reaction.



Glucose

Most of the decomposition reactions are endothermic.

Corrosion

Gradual deterioration of a material, usually a metal, by the action of moisture, air or chemicals in the surrounding environment.


Rusting:



Corrosion of copper:



Corrosion of silver:



To know more about Corrosion.

Rancidity

It refers to the oxidation of fats and oils in food that is kept for a long time. It gives foul smell and bad taste to food. Rancid food causes stomach infection on consumption.

Prevention:

- (i) Use of air-tight containers
- (ii) Packaging with nitrogen
- (iii) Refrigeration
- (iv) Addition of antioxidants or preservatives